

# Performance 16% **Beef Starter**

MEDICATED

A Complete Feed for Beef Cattle

For improved feed efficiency in cattle fed in confinement for slaughter

ACTIVE DRUG INGREDIENT									
Lasalocid				60.0 g/ton					
GUARANTEED ANALYSIS									
Crude Protein			(Min)	16.0 %					
Crude Fat			(Min)	3.5 %					
Crude Fiber			(Max)	10.0 %					
Calcium	(Min)	0.5	(Max)	1.0 %					
Phosphorus			(Min)	0.4 %					
Salt	(Min)	0.3	(Max)	0.8 %					
Zinc			(Min)	160.0 ppm					
Copper			(Min)	65.0 ppm					
Selenium			(Min)	0.6 ppm					
Vitamin A			(Min)	10,000.0 IU/lb					
Vitamin E			(Min)	10.0 IU/lb					

#### LIST OF INGREDIENTS

Corn, Corn Gluten Feed, Corn Distillers Dried Grains with Solubles, Soybean Meal, Cottonseed Hulls, Molasses Products, Calcium Carbonate, Salt, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate. Potassium Chloride. Dried Saccharomyces Cerevisiae Fermentation Product, Thiamin Mononitrate, Yucca Schldlgera Plant, Zinc Sulfate, Manganese Sulfate, Chromium Propionate, Copper Sulfate, Ethylenediamine Dihydriodide, Vitamin E Supplement, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Sovbean Oil, Silicon Dioxide, Ethoxyguin (a preservative up to 12.0%), Butvlated Hydroxyanisole (a preservative), Citric Acid (a preservative), Phosphoric Acid, Silicon Dioxide. Ethoxyquin (a preservative up to 12.0%), Butylated Hydroxyanisole (a preservative), Citric Acid (a preservative) and Phosphoric Acid.

#### FEEDING DIRECTIONS

Feed to desired body condition at a rate of 3.3 to 12.0 lb/head/day to provide 100 to 360 mg/head/day of Lasalocid (Bovatec). Typical grain mix consumption should be 1.5 to 2.0% of body weight with good quality alfalfa hay or grass hay given free-choice. Provide an abundant, fresh supply of water. Provide a separate source of salt and mineral, free choice. For further feeding directions consult your supplier or nutritionist.

LIMITATIONS: Feeding undiluted or mixing errors may result in an excess Lasalocid concentration which could be fatal to cattle and sheep. WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal. CAUTION: Do not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal. The safety of Lasalocid for use in unapproved species has not been established. CAUTION: This feed contains added copper, do not feed to sheep. CAUTION: Do not exceed 0.3 mg/kg of selenium in the complete feed.

### Manufactured By:

Perry Milling 102 West Front Street Perry, KS 66073 (785) 597-5122

No warranty of results is made due to differences in environment, genetics, health, and management. This product was made in a feed manufacturing facility that does not handle or store products containing animal protein prohibited in ruminant feed. a160b0pk performance 16% beef starter (180413).docx 1/25/2019

NET WT 50 LB (22.68 kg) or BULK





### Performance 16% **Beef Starter** MEDICATED

A Complete Feed for Beef Cattle

For improved feed efficiency in cattle fed in confinement for slaughter ACTIVE DOUG INCOEDIENT

ACTIVE DRUG INGREDIENT									
Lasalocid				60.0 g/ton					
GUARANTEED ANALYSIS									
Crude Protein			(Min)	16.0 %					
Crude Fat			(Min)	3.5 %					
Crude Fiber			(Max)	10.0 %					
Calcium	(Min)	0.5	(Max)	1.0 %					
Phosphorus			(Min)	0.4 %					
Salt	(Min)	0.3	(Max)	0.8 %					
Zinc			(Min)	160.0 ppm					
Copper			(Min)	65.0 ppm					
Selenium			(Min)	0.6 ppm					
Vitamin A			(Min)	10,000.0 IU/lb					
Vitamin E			(Min)	10.0 IU/lb					

#### LIST OF INGREDIENTS

Corn, Corn Gluten Feed, Corn Distillers Dried Grains with Solubles, Soybean Meal, Cottonseed Hulls, Molasses Products, Calcium Carbonate, Salt, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate. Potassium Chloride. Dried Saccharomyces Cerevisiae Fermentation Product, Thiamin Mononitrate, Yucca Schldlgera Plant, Zinc Sulfate, Manganese Sulfate, Chromium Propionate, Copper Sulfate, Ethylenediamine Dihydriodide, Vitamin E Supplement, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Sovbean Oil, Silicon Dioxide, Ethoxyguin (a preservative up to 12.0%), Butvlated Hydroxyanisole (a preservative), Citric Acid (a preservative), Phosphoric Acid, Silicon Dioxide. Ethoxyquin (a preservative up to 12.0%), Butylated Hydroxyanisole (a preservative), Citric Acid (a preservative) and Phosphoric Acid.

#### FEEDING DIRECTIONS

Feed to desired body condition at a rate of 3.3 to 12.0 lb/head/day to provide 100 to 360 mg/head/day of Lasalocid (Bovatec). Typical grain mix consumption should be 1.5 to 2.0% of body weight with good quality alfalfa hay or grass hay given free-choice. Provide an abundant, fresh supply of water. Provide a separate source of salt and mineral, free choice. For further feeding directions consult your supplier or nutritionist.

LIMITATIONS: Feeding undiluted or mixing errors may result in an excess Lasalocid concentration which could be fatal to cattle and sheep. WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal. CAUTION: Do not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal. The safety of Lasalocid for use in unapproved species has not been established. CAUTION: This feed contains added copper, do not feed to sheep. CAUTION: Do not exceed 0.3 mg/kg of selenium in the complete feed

> Manufactured By: Perry Milling 102 West Front Street Perry, KS 66073 (785) 597-5122

No warranty of results is made due to differences in environment, genetics, health, and management. This product was made in a feed manufacturing facility that does not handle or store products containing animal protein prohibited in ruminant feed. a160b0pk performance 16% beef starter (180413).docx 1/25/2019

NET WT 50 LB (22.68 kg) or BULK





## Performance 16% **Beef Starter** MEDICATED

A Complete Feed for Beef Cattle

For improved feed efficiency in cattle fed in confinement for slaughter

ACTIVE DRUG INGREDIENT								
Lasalocid				60.0 g/ton				
	GUARANT	EED AI	NALYSIS					
Crude Protein			(Min)	16.0 %				
Crude Fat			(Min)	3.5 %				
Crude Fiber			(Max)	10.0 %				
Calcium	(Min)	0.5	(Max)	1.0 %				
Phosphorus			(Min)	0.4 %				
Salt	(Min)	0.3	(Max)	0.8 %				
Zinc			(Min)	160.0 ppm				
Copper			(Min)	65.0 ppm				
Selenium			(Min)	0.6 ppm				
Vitamin A			(Min)	10,000.0 IU/lb				
Vitamin E			(Min)	10.0 IU/lb				


#### LIST OF INGREDIENTS

Corn, Corn Gluten Feed, Corn Distillers Dried Grains with Solubles, Soybean Meal, Cottonseed Hulls, Molasses Products, Calcium Carbonate, Salt, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate. Potassium Chloride. Dried Saccharomyces Cerevisiae Fermentation Product, Thiamin Mononitrate, Yucca Schldlgera Plant, Zinc Sulfate, Manganese Sulfate, Chromium Propionate, Copper Sulfate, Ethylenediamine Dihydriodide, Vitamin E Supplement, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Sovbean Oil, Silicon Dioxide, Ethoxyquin (a preservative up to 12.0%), Butvlated Hydroxyanisole (a preservative), Citric Acid (a preservative), Phosphoric Acid, Silicon Dioxide, Ethoxyquin (a preservative up to 12.0%), Butylated Hydroxyanisole (a preservative), Citric Acid (a preservative) and Phosphoric Acid.

#### FEEDING DIRECTIONS

Feed to desired body condition at a rate of 3.3 to 12.0 lb/head/day to provide 100 to 360 mg/head/day of Lasalocid (Bovatec). Typical grain mix consumption should be 1.5 to 2.0% of body weight with good quality alfalfa hay or grass hay given free-choice. Provide an abundant, fresh supply of water. Provide a separate source of salt and mineral, free choice. For further feeding directions consult your supplier or nutritionist.

LIMITATIONS: Feeding undiluted or mixing errors may result in an excess Lasalocid concentration which could be fatal to cattle and sheep. WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal. CAUTION: Do not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal. The safety of Lasalocid for use in unapproved species has not been established. CAUTION: This feed contains added copper, do not feed to sheep. CAUTION: Do not exceed 0.3 mg/kg of selenium in the complete feed



No warranty of results is made due to differences in environment, genetics, health, and management. This product was made in a feed manufacturing facility that does not handle or store products containing animal protein prohibited in ruminant feed. a160b0pk performance 16% beef starter (180413).docx 1/25/2019

NET WT 50 LB (22.68 kg) or BULK

Code No.: A160B0PK

